SOV/124-57-8-9180

Translation from: Referativnyy zhurnal, Mekhanika, 1957, Nr 8, p 87 (USSR)

AUTHORS: Broydo, A.G., Gorobey, V.N., Dyuzheva, O.G., Kalugina, M.A.,

Pazgalova, E. A.

Some Peculiarities of the Vertical Temperature Distribution in the TITLE:

Lowest Portion of the Atmospheric Surface Layer (Nekotoryye osobennosti vertikal nogo raspredeleniya temperatury v nizhney

chasti prizemnogo slova atmosfery)

PERIODICAL: Tr. Leningr. gidrometeorol. in-ta. 1956, Nr 5-6, pp 268-284

ABSTRACT: An examination of the laws governing the temperature distribu-

tion in the lowest layer of the atmosphere (0-200 cm). The tempera-

ture profile is characterized by the "curvature parameter"

$$b = \frac{t_0 - t_{50}}{t_0 - t_{200}}$$

introduced by the authors. This parameter indicates just what part Card 1/2

SOV/124-57-8-9180, Some Peculiarities of the Vertical Temperature Distribution (cont.)

of the temperature variation in the 0-200 cm layer is attributable to its lowest 0-50 cm portion. The authors attempt to employ the parameter b to characterize the temperature profile of the surface layer in terms of the data from network observations (t_{200} data) alone. During the summer season the parameter b is significant during the day and is noticeably smaller in the late-evening and the early-morning hours, and increases somewhat at night as compared with evening. A distinct relationship of the quantity b/u_1 (u_1 is the wind velocity at the 1 m level) and the stability parameter $y=(t_0-t_{200})/u_1^2$ is found.

A. Kh. Khrgian

Card 2/2

ZAVARINA, M.V.; DYUZHEVA,O.G.

Horizontal extent of clouds in the Arctic. Probl.Arkt. no.6: 71-80 '59. (MIRA 13:6)

 Leningradskiy gidrometeorologicheskiy institut. (Arctic regions--Clouds)

DYWZHEVA, Ye B.; BUKHMAN, S.P.

Reduction of trivalent arsenic on amalgam cathodes. Trudy Inst. khim. nauk AN Kazakh.SSR 12:78-88 '64.

Electrolytic reduction of trivalent arsenic on a mercury cathode in the presence of copper ions. Ibid.:89-98

(MIRA 18:2)

MELEKHINA, V.P.; Prinimali uchastiye: DYUZHEVA, Yu.V., khimik; AGISHEVA, A.S., khimik; KUKAINA, V.P., khimik; KOSENKOVA, A.M., khimik

Materials for setting up a sanitary protective zone for Klin
Thermometer Manufacturing Factory. Uch. zap. Mosk. nauch.-issl.
inst. san. i gig. no.6: 41-44, '60. (MIRA 14:10)

1. Klinskaya sanitarnaya epidemiologicheskaya stantsiya (for Agisheva).
2. Moskovskaya oblastnaya sanitarnaya epidemiologicheskaya stantsiya (for Kukaina, Kosenkova).
3. Moskovskiy nauchno-issledovatel'skiy institut sanitarii i gigiyeny imeni F.F.Erismana (for Dyuzheva).

(KLIN-AIR-POLLUTION) (MERCURY-TOXICOLOGY)

_ DYUZHEVA, Yu.V.

Determination of fatty carboxylic acids in air. Uch.zap.Mosk.nauch.-issl.inst.san.i gig. no.5:17-26 '60. (MIRA 15:3) (Air--Analysis) (Acids, Fatty)

DUBROVSKAYA, F.T.; DYUZHEVA, Yu.V.; KATSEMELENBAUM, M.S.; YUSHKO, Ya.K.; KOROLEVA, V.A.; BULYCHEV, G.V.

Discharge into the atmosphere of wastes from the production of synthetic fatty acids and their effect on public health. Uch. zap. Mosk. nauch.-issl. inst. van. i gig. no.9263-66 '61 (MIRA 16:11)

*

DYUZHIKOV, A. T.

Dyuzhikov, A. T.

"The Systematics and Toology of Black-Back Herring." Saratov State U. imeni N. G. Chernyshevskiy. Saratov, 1955. (Dissertation for the degree of Candidate in Biological Sciences)

SO: Knizhnaya letopis' No. 27, 2 July 1955

DYUZHIKOV, A.T.

Results of three-year observations on fishes in the afterbay of the Volga Hydroelectric Power Station. Vop. ikht. 1 no. 1:69-78 '61. (MIRA 14:5)

1. Saratovskoye otdeleniye Gosudarstvennogo nauchno-issledovatel'skogo instituta ozernogo i rechnogo rybnogo khozyaystva. (Volga Hydroelectric Power Station region—Fishes)

DYUZHIKOV, A.T.

Abundance and stock structure of migratory fishes of the Volga River as a reflection of the size and characteristics of their range. Vop. ekol. 5:58-59 '62. (MIRA 16:6)

1. Otdeleniye Gosudarstvennogo nauchno-issledovatel skogo instituta ozernogo i rechnogo rybnogo khozyaystva, Saratov.

(Volga River--Fish populations)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R000411810019-6"

1

DYULILIOV, A.T.; SEREBRYAKOVA, Ye.V.

Sees characteristics of the ecology and the duration of the sex cycle in sturgeons of the Volga River. Trudy VNIRO 56:105-115-64. (MIRA 18:4)

1. Sąratovskoje otdelenije Gosudarstvennogo nauchno-issledovatel - skogo instituta ozernogo i rechnogo rybnogo khozywystva.

DYUZHIN, A.T.; LIFANOV, I.I.

Automatic recording of the elongations of a tested specimen using dilatometers with P.G.Sirelkov's kinematics. Izm.tekh. no.6:11-13
Je *65. (MIRA 18:8)

L 35888-66

ACC NR: AP6010876

SOURCE CODE: UR/0115/66/000/002/0084/0085

AUTHOR: Dyuzhin, A. T.; Pavlov, Ye. P.

ORG: none

TITLE: Two-channel precision temperature regulator for plants having high

thermal inertia

SOURCE: Izmeritel'naya tekhnika, no. 2, 1966, 84-85

TOPIC TAGS: temperature regulator, automatic temperature control

ABSTRACT: An automatic system with static and astatic control channels is suggested for temperature regulation within 12-300K. The error signal proportional to the temperature difference derived from a differential thermocouple is applied to a d-c amplifier (see figure). The amplified signal is 50-cps modulated, further amplified, and is forked into separate static and astatic channels; later.

Card 1/2


UDC: 62 - 533.6

CIA-RDP86-00513R000411810019-6" APPROVED FOR RELEASE: 03/20/2001

L 35888-66

ACC NR: AP6010876

the signals are summed in the control element. An experimental model is claimed to have maintained the temperature, within the entire 12-300K range, with an error of 0.001K or better; heating currents, up to 500 ma. Orig. art. has: 3 figures and 1 formula.



Static-and-astatic temperature regulator:

1 - photo-amplifier, 2 - modulator,

3 - amplifier, 4 - amplifier, 5 - power amplifier, 6 - relay stabilization,


7 - peak detector with level clamping,

8 - astatic-channel turn-on relay,

9 - output stage.

SUB CODE: 09 / SUBM DATE: none / ORIG REF: 002

Card 2/2



ZHARIKOV, V.A.; DYUZHIKOVA, T.N.; MAKSAKOVA, E.M.

Experimental and theoretical studies of the filtration effect.

Report No.1: Different filtration rate of cations and anions.

Izv. AN SSSR. Ser.geol. 27 no.1:41-65 Ja '62. (MIRA 15:1)

ZHARIKOV, V.A.; DYUZHIKOVA, T.N.; MAKSAKOVA, E.M.

Flow effect in electrolytic solutions. Izv. AN SSSR. Ser. geol. 28 no.10:81-91 0 '63. (MIRA 16:11)

1. Institut geologii rudnykh mestorozhdeniy, petrografii, mineralogii i geokhimii AN SSSR, Moskva.

GOR, Yu.G.; DYUZHIKOVA, Ye.Ye.; LOBANOVA, O.V.; SFDYKH, Yu.N.


Some data on the biostratigraphy of Upper Paleozoic coalbearing seciments in the Talnakh deposit. Uch. zap. NIIGA.

Reg. geol. no.4:116-122 '64. (MIRA 18:12)


DYUZHIN, A.T.; ZAKS, L.M.

Automation in metrology. Izm. tekh. no.12:3-5 D 164.

(MIRA 18:4)




ACC NR: AP6025081		0
voltage, 6.3 v; maximum load instability, $\pm 0.00\%$ when t	the ambient. The stabilizer characteristics is current, 3 amp; ripple, 1 mv; output volthe supply voltage varies within \pm 10%; outputs. Orig. art. has: 2 figures and 1 formula.	age
SUB CODE: 09 /SUBM DATE: nor	e / ORIG REF: 002	
:		
Ş	A control of the cont	
		,
		7
•		
		



DYUZHIN, V. I.

32510. Dyuzhin, V. I. Ratsionalizatsiya na torfogredpriyatiyakh Yaroslavskogo torfotresta. Torf. prom-st', 1949, No. 10, s. 16-17.

SO: Letopis' Zhurnal'nykh Statey, Vol. 14




DYLIGHIN, V.I,

DYUZHIN, ENG. V. I.

Peat Industry

Work of the tree-stump cranes of the hydropeat excavator KPG-2. Torf. prom. 30 no. 1, 1953

9. Monthly List of Russian Accessions, Library of Congress, May 1953, Unclassified.



DYWHIN Y-L. Insh.

Some results of the reorganization of management of the peat industry in the Yaroslav Economic Region. Torf. prom 35 no.7:5-6 58. (MIRA 11:11)

Yaroslavskiy sovrarkhoz.
 (Yaroslav Province—Peat industry)

DYUZHIN, V.I., inzh.

New equipment in peat enterprises of the Yaroslavl Economic Council. Torf. prom. 38 no.5:5-8 161. (MIRA 14:10)

l. Yaroslavskiy sovnarkhoz.
(Yaroslavl Province—Peat machinery)

DYUZHIN, V.

Conference on lowering the production costs of milled peat.
Torf. prom. 38 no.6:37 '61. (MIRA 14:9)
(Peat--Costs)

DYUZHIN, V.I., insh.

Performance of pneumatic combines during the 1962 season. Torf. prom. 40 no.2:10-12 '63. (MIRA 16:4)

(Yaroslav1-Peat machinery)

BELOSHAPKO, P.A., prof. [deceased]; MARTYNSHIN, M.Ya.; DYUZHINOVA, V.M.; IGNATOVA, V.D.; POTSELUYEVA, S.I.; TOLSTOVA, M.I.

Features of the course and management of labor in breech presentation. Akush.i gin. 36 no.5:28-34 S-0 '60.

(MIRA 13:11)

1. Iz Instituta akusherstva i ginekologii (dir. - chlen-korrespondent MN SSR prof. P.A. Belcshapko [deceased]) AMN SSSR. (LABOR (OESTETRICS))

HADOWSKI, Wladyslaw; DYWONIAK, Wladyslaw, inz.; SKOWRON, Eugeniusz, inz.

New reserves in the manufacture of tools for screw threads by means of stamping. Przegl mech 20 no.19/20:627-630 '61.

1. Wytwornia Sprzetu Komunikacyinego, Debica.

BOROKHOVICH, I.I.; DYZHIHA, L.I.

Postwar housing construction in Rostov-on-Don. Gig. i san. 21 no.9: 65-66 S '56. (MLRA 9:10)

1. Iz Rostovskoy-na-Donu gorodskoy sanitarno-epidemiologicheskoy stantsii i kafedry kommunalinoy gigiyeny Rostovskogo meditsinskogo instituta.

(HOUSING

in Russia, post-war constructions)

BRUHL, Wlodzimiers; DYZNAROWSKA, Helena

Familial appearance of Paget's disease. Reum. pol. 4:107-112 '61.

1. Z Instytutu Remnatologii w Warszawie-Dyrektor: prof. dr E. Reicher. (OSTEITIS DEFORMANS)

DYTERA, A

and started formation in Some Systemary busilli to anabiotical and page under the effect of attroptomy in combined with withmining. Antibiotis: 10 no. 2857-840 S 165. (Mark 1839)

i. Entries wikawa kai ajii (mar. - yori. T.i. mresn) Lamo-Era kas meso medikui mkaya (maiitaka

2/056/62/019/007/002/Cir/ 1037/1237

AUTHOR:

Džabadari, A. V.

TITLE:

URM-1 equipment for transtadiation of welds and casts by gamma rays from Iridiant (9).

and Europium 152 and 154

PERIODICAL:

Přehled technické a hospodářské literatury. Hutnictví a strojírenství v. 19. no. 7, 402,

abstract HS62-5105 (1961 Moskva: Gostoptechizdat STK II-182721a)

TEXT: Headline from the journal (p. 108-110). "Radioactive isotopes and nuclear radiations in the national economy. USSR. III" There are 4 figures.

[Abstracter's note: Complete translation.]

Card 1/1

ZVONKOV, V.V., prof.; FOMKINSKIY, L.I., inzh.. Prinimali uchestiye:
STHUNNIKOVA, V.P., inzh.; POKROVSKAYA, I.K., inzh.; DZADZAMIYA,
L.A., tekhnik; SHAPOSHNIKOV, Ye.M., inzh., KHOBOTOV, Yu.A.,
red.; BOBROVA, V.A., tekhn.red.

[Ship tractive and propulsive speed calculations; a proposed guide] Sudovye tiagovye i skorostnye raschety; proekt ruko-vodstva. Moskva, Izd-vo "Rechnoi transport." 1959. 213 p.

(MIRA 13:7)

1. Chlen-korrespondent Akademii nauk SSSR (for Zvonkov).

2. TSentral'nyy nauchno-issledovatel'skiy institut ekonomiki i ekspluatatsii vodnogo transporta (for Shaposhnikov).

(Towing) (Ship propulsion)

DZAGANIYA, Ye.P.

71

PHASE I BOOK EXPLOITATION

SOV/5526

Vsesoyuznoye soveshchaniye po magnitnoy strukture ferromagnetikov, Krasnoyarsk, 1958.

Magnitnaya struktura ferromagnetikov; materialy Vsesoyuznogo soveshchaniya, 10 - 16 iyunya 1958 g., Krasnoyarsk (Magnetic Structure of Ferromagnetic Substances; Materials of the All-Union Conference on the Magnetic Structure of Ferromagnetic Substances, Held in Krasnoyarsk 10 - 16 June, 1958) Novosibirsk, Izd-vo Sibirskogo otd. AN SSSR, 1960. 249 p. Errata slip inserted. 1,500 copies printed.

Sponsoring Agency: Akademiya nauk SSSR. Institut fiziki Sibirskogo otdeleniya. Komissiya po magnetizmu pri Institute fiziki metallov OFMN.

Resp. Ed.: L. V. Kirenskiy, Doctor of Physical and Mathematical Sciences; Ed.: R. L. Dudnik; Tech. Ed.: A. F. Mazurova.

PURPOSE: This collection of articles is intended for researchers in ferromagnetism and for metal scientists.

Card 1/11

71

Magnetic Structure (Cont.)

SOV/5526

COVERAGE: The collection contains 38 scientific articles presented at the All-Union Conference on the Magnetic Structure of Ferromagnetic Substances, held in Krasnoyarsk in June 1958. The material contains data on the magnetic structure of ferromagnetic materials and on the dynamics of the structure in relation to magnetic field changes, elastic stresses, and temperature. According to the Foreword the study of ferromagnetic materials had a successful beginning in the Soviet Union in the 1930's, was subsequently discontinued for many years, and was resumed in the 1950's. No personalities are mentioned. References accompany individual articles.

TABLE OF CONTENTS:

Foreword

3

Shur, Ya. S. [Institut fiziki metallov AN SSSR - Institute of Physics of Metals, AS USSR, Sverdlovsk]. On the Magnetic Structure of Ferromagnetic Substances

5

Card 2/11

·		7	! !
Magnetic Structure (Cont.)	F06		·
Electric Resistance of Iron at Low Temperatures 73			i
Ton do Don Temperatures	73		
Kaganov, M. I. [Physicotechnical Institute AS UkrSSR, Khar'kov]. Influence of the Hall Effect on the Resistance of Ferromagnetic Substances	•		
	79		
Krinchik, G. S. [Physics Department of the Moscow State University]. Structure of the Domain Boundary and Dynamic Proporties of Ferromagnetic Substances	0.5		
Telesnin, R V and Va R R	85		
Telesnin, R. V., and Ye. P. Dzaganiya [Physics Department of the Moscow State University]. On the Delayed Jumps in			
Tulan W. D.	91		
Ivley, V. P., and V. M. Rudyak [Pedagogicheskiy institut - Teachers Institute, Krasnoyarsk]. Statistical Distribution of Remagnetization Jumps by Magnitudes			
	101		
Rodichev, A. M., V. A. Ignatchenko, and N. M. Salanskiy [Institute of Physics, Siberian Branch AS USSR, Krasnoyarsk].			:
Card 6/11			ì
·			

86278 5/188/60/000/005/007/010 B019/B056

24, 2200 (1035,1160,1162)

AUTHORS: Telesnin, R. V., Dzaganiya, Ye. P., Kozlov, V. I.

TITLE: Delayed Jumps of the Intensity of Magnetization

PERIODICAL: Vestnik Moskovskogo universiteta. Seriya 3, fizika,

astronomiya, 1960, No. 5, pp. 60 - 67

TEXT: The authors investigated the delayed jumps of intensity of magnetization of iron-nickel alloys with 50% nickel. The thickness of the samples was 5 - 100 microns. By delayed jumps of magnetization, the authors understand Barkhausen jumps, which occur some time after the change in the external magnetic field. The samples were produced according to the production rules of the Taniichyermyer. As may be seen from the results shown in diagrams, the ranges of the field strength in which Barkhausen jumps occur, are extended with increasing coercive force of the sample. A decrease or an increase of the field strength shifts the distribution curve of the Barkhausen jumps into the range of stronger or weaker fields. Further, a temperature dependence of the total number was observed. The occurrence of two maxima in the curve representing the

Card 1/2

Delayed Jumps of the Intensity of Magnetization

86278 \$/188/60/000/005/007/010 B019/B056

number of jumps as a function of the external field strength, indicates the existence of several magnetic phases with different coercive forces. In the case of fields near coercive force, the relation

 $N = N_0(1-e)^{-t/\tau}$ (1) exists for the number of delayed jumps and $\tau = 10$ sec holds for 5 micron, $\tau = 4$ sec for 100 micron, and $\tau = 0.8$ sec for 20-micron samples. There is therefore an optimal thickness for a minimal τ . Further, it was found that for each sample a certain temperature exists, at which a maximum of delayed jumps occurs. There are 3 figures and 4 Soviet references.

ASSOCIATION: Kafedra obshchey fiziki dlya fizikov (Department of General Physics for Physicists)

SUBMITTED: March 19, 1960

Card 2/2

DZAQANIYA, Ye.P.

Distribution of lagging magnetization jumps according to their duration, Fig. met. i metalloyed, 20 no.2:204-209 Ag 165.

(MIRA 18:9)

CHUCUNOV, M.; KHOMICH, A.; KOROTAYEV, Yu.P., kand. tekhn. nauk, retsenzent; DZAGNIDZE, G.M., inzh., retsenzent

[Worker's handbook on the gas industry; transportation and utilization of natural and liquified gases] Spravochnik rabotnika gazovoi promyshlennosti; transport i ispol'zovanie prirodnykh i szhizhennykh gazov. Minsk, Nauka i tekhnika, 1965. 355 p. (MIRA 18:7)

DZAGNIDZE, I.


Personal duties of radio amateurs. Radio no.1:4 Ja 160. (MIRA 13:5)


l. Predsedatel' soveta Tbilisskogo radiokluba. (Radio clubs)

DZAGNIDZE, I. N.

Dzagnidze, I. N. "Cancer of the skin in childhood," (Report), Trudy III Zakavkazsk. s"yezda khirurgov, Yerevan, 1948 (on cover: 1949), p. 170-173

So: U-52h0, 17 Dec. 53, (Letopis 'Zhurmal 'nykh Statey, No.25, 19h9).





DZAGHIDZO, K. I.

Dangmidze, K. I. "The synthesis of p-tolal acetylanyl and its convession with the use of express chloride," Trudy Tbilis, gos. un-taim. Stalina, Vol. MMAIa, 1968, p. 7-11 (In Geoglan, resume in Russian)

SO: 9-4934, 22 Oct 53 (Letopis '4hormal 'nykh Statey, No. 16, 1949)

DZAGNIDZD, K. I.

Daagnidze, K. I. "5,7 dimethyloctene, 1 in 3 dial 5.7" Trudy feills, gos. un-ta im. Stalina, Vol. AGNIa, 1943, (In Georgian, resume in "ussian) -Bibliog: 7 items

SO; U-h934, 29 Oct 53 (Letopis 'Zhurnel 'nyida Statey, No. 16, 1949)

USSR.

Action of imaginated organomagnesium compounds on a p-ungatarated ketones. A. J. Nogolidel and K. Ya. Danglider (I. Y. Stalia State Univ., Tillis). Somether social Colored by add of 30 g. bentalucetone in 100 at https://doi.org/10.100/10.000/10.00000/10.


g int


DZAG NIDZE KUH,

NOGAYDELI, A.I.; DZAGNIDZE, K.Ya.

Synthesis and hydrogenation of 2,4,7,9-tetramethyl-decyne-5-tetraol-2,4,7,9. Zhur.ob.khim. 25 no.2:304-306 F 155. (MLRA 8:6)

1. Tbilisskiy Gosudarstvennyy universitet.
(Decynetetrael)





· DZAGNIDZE, K. YA.

79-1-24/63

AUTHORS:

Mogaydeli, A. I., Dzagnidze, K. Ya., Papava, R.

TITLE:

The Synthesis of 6-Methyloctene-1-in 4-Diole-3,6 and 7-Methyloctene-2-in-5-Diole-4,7, and Their Catalytic Hydrogenation (Sintez 6-metilokten-1-in-4-diola-3,6 i 7-metilokten-2-in-5-diola-4,7 i ikh kataliticheskoye gidrirovaniye)

PERIODICAL:

Zhurnal Obshchey Khimii, 1958, Vol.28, Hr 1,pp.116-119(USSR)

ABSTRACT:

In the preceding paper it was stated that the bromomagnesium derivative of dimethylacetylenylcarbinol at - 7°C normally enters into reaction with acrolein and forms eninglycol-6-methylheptene-1-in-4-diole-3,6. In the presence of colloidal palladium this glycol enegetically binds 4 hydrogen atoms, the binding of the last two hydrogen atoms taking place more slowly. It was of interest to synthesize other homologues of the given class as well and to examine their type of hydrogenation in the presence of catalysts. 6-methyl-1-in-4-diole-3,6 (formula I) was obtained according to Jotsich, Zh. I. from methyl-ethyl-acetylenylcarbinol and acrolein. A closer examination of the hydrogenation showed that in the presence of

Card 1/3

The Synthesis of 6-Methyloctene-1-in 4-Diole-3,6 and 7-Methyloctene-2-in-5-Diole-4,7, and Their Catalytic Hydrogenation

platinum black their reaction velocity decreases and that after the binding of the two or four hydrogen atoms no change manifests itself. In the presence of palladium, however, eninglycol reacts like the first homologues by more energetically binding the first four hydrogen atoms, whereupon the sudden change takes place, i.e. the last two hydrogen atoms are bound considerably more slowly. The final product represents a mobile fat. The canalysis yielded a saturated glycol, 3-methyloctandiole-3,6. A second eninglycol, 7-methyloctene. -2-in-5-diole-4,7 (II) was synthesized from the crotonic aldehyde and dimethylacetylenylcarbinol. On hydrogenation of this product with colloidal palladium an abrupt decrease in the reaction velocity after the binding of two hydrogen atoms manifests itself. After treatment of the hydrogenation product a thick oil was obtained whose analysis proved to be saturated glycol-2-methyloctandiole-2,5. There are 2 tables, and 1 reference, which is Slavic.

Card 2/3

79-1-24/63

The Synthesis of 6-Methyloctene-1-in-4-Diole-3,6 and 7-Methyloctene-2-in--5-Diole-4,7, and Their Catalytic Hydrogenation

ASSOCIATION: Tbilisi State University

(Thilisskiy gosudarstvennyy universitet)

SUBMITTED:

February 18, 1957

AVAILABLE: Library of Congress

Card 3/3 1. Chemistry 2. Catalytic properties 3. Hydrogenation

SOV/79-29-4-42/77 5(3) Nogaydeli, A. I., Dzagnidze, K. Ya, Pagava, T., Kverenchkhiladze AUTHORS: Investigation of Mixed Ethylene-acetylene-y-glycols (Issledova-TITLE: niye smeshannykh etilenatsetilenovykh-y-glikoley). Synthesis and Catalytic Hydrogenation of 5-(1-0xycyclopentyl)-penten-1-in-4-ol-3 and 5-(1-0xycyclohexyl)-penten-1-in-4-ol-3 (Sintez i kataliticheskoye gidrirovaniye 5-(1-oksitsiklopentil)-penten-1-in-4-ola-3 i 5-(1-oksitsiklogeksil)-penten-1-in-4-ola-3) Zhurnal obshchey khimii, 1959, Vol 29, Nr 4, pp 1231-1233 (USSR) PERIODICAL: In continuation of their previous work (Ref 1) the authors in-ABSTRACT: vestigated the reaction of acrolein with cyclopentanol- and cyclohexanol-magnesium-bromo-acetylenes as well as the nature of the catalytic hydrogenation of the eninglycols obtained. Normal reaction products, namely, the ethylene-acetyl glycols of secondary-tertiary nature, (I) and (II), were obtained (50% yield). -с = сснонен = сн (II)The eninglycols mentioned are hydrogenated in the presence of Card 1/3

SOV/79-29-4-42/77 Investigation of Mixed Ethylene-acetylene-γ-glycols. Synthesis and Catalytic Hydrogenation of 5-(1-Oxycyclopentyl)-penten-1-in-4-ol-3 and 5-(1-Oxycyclo-hexyl)-penten-1-in-4-ol-3


platinum black without a break in the reaction rate, each of them affiliating 6 hydrogen atoms while the corresponding saturated \(\gamma \)-glycols are formed. The hydrogenation, however, takes place much faster in the presence of colloidal palladium, the eninglycols intensely affiliating 4 hydrogen atoms, whereupon the reaction rate drops sharply and the remaining two hydrogen atoms are absorbed much more slowly, which is confirmed by a comparison with the time required for the affiliation of hydrogen in the case of (I) and (II). For instance, the nature of hydrogenation of eninglycols with cyclic radicals is similar to that of eninglycols with open chains, even though the weighting of the radical retards the hydrogenation reaction as soon as the 4 hydrogenation with the catalysts mentioned above are compounds (III) and (IV):

Card 2/3

SOV/79-29-4-42/77

Investigation of Mixed Ethylene-acetylene-y-glycols. Synthesis and Catalytic Hydrogenation of 5-(1-0xycyclopentyl)-penten-1-in-4-ol-3 and 5-(1-0xycyclohexyl)-penten-1-in-4-ol-3

> с-сноснонсносна (III)



There are 2 tables and 1 Soviet reference.

ASSOCIATION:

Tbilisskiy gosudarstvennyy universitet (Tbilisi State Uni-

versity)

SUBMITTED:

March 25, 1958

Card 3/3

KAKURIYA, Sh.K., red.; DZAGNIDZE, N.L., otv. za vypusk; GVERDTSITELI, N.P., tekhn. red.

[Tiflis; statistical collection published for the commemoration of the 40th anniversary of the Soviet regime in Georgia]
Tbilisi; k 40-letiiu Sovetskoi vlasti v Gruzii. Statisticheskii sbornik. Tbilisi, 1961. 181 p. (MIRA 15:2)

1. Tiflis. Statisticheskoye upravleniye. 2. Nachal'nik Statisticheskogo upravleniya goroda Tbilisi (for Kakuriya).

(Tiflis--Statistics)

DZAGNIDWE, O.P.

Representation of measurable functions of two variables by double series. Soob. AN Gruz. SSR 34 no.2:277-282 My '64. (MIRA 18:2) 1. Tbilisskiy gosudarstvennyy universitet. Submitted October 4,

1963.

DZAGNIDZE, O.F.

Universal double series. Soob. AN Gruz. SSR 34 no.3:525-528
Je '64 (MIRE 18:1)

1. Tbilisskiy gosudarstvennyy universitet. Submitted Gotober \mathcal{L}_2 1963.

VORTED RISKEY, U.A., kand. tekhn. nauk; DZAGNIDZE, O.Y.

Unter-discharge hydrants for irrigating systems with distributing ripes. Biul. tekh.-ehon. inform. Gos. Nauch.-isal. nauch. i tekh. inform. 17 no.9:64-67 S 164 (MIRA 18:1)

USSR/Plant Diseases. Diseases of Cultivated Plants

0-3

Abs Jour : Ref Zhur - Biol., No 20, 1958, No 91985

Author

: Tsakadze T.A., Dzagnidze Sh.I.

Inst

: Institute of Plant Protection AS Georgian SSR

Title

: Data on the Study of Diseases in Fruit Bearing Plant

Seedlings

Orig Pub: fr. In-to zashchity rast. IN GrusSSR, 1957, 12, 39-48

Abstract: The following infections were noted on seedlings. On pear seedlings Dothiorella pyrenophora Sacc., Alternaria sp., Rhizoctonia bataticola (Thub.) Butl. were recorded. On the apple seedlings - Phone mali Schulz et Sacc., Macrohoma sp., Sphaeropsis malorum Peck. On the spricot - Diplodia prumi Fuckl. On the peach - S. pannosa Lev. var. persicae Woronichine, Phomopsis sp., Cytospora leucostoma Sacc., Bacterium twoefaciens on the stems. On sweet cherry - Rosellinis necatrix Berlese. Phomopsis on peach, Rn. bataticola, Athernaria, Outhiorella on pear, Macrophona on pear and apple are recorded for the first time in Georgia. -- G. .. D'yellove

Card : 1/1

DZAGNIDZE, Sh. I.: Master Biol Sci (diss) --- "Results of studying the biology of the mushroom Phomopsis-mali Roberts". Tbilisi, 1958, published by Tbilisi U.

14 pp (Tbilisi State U im Stalin, Chair of Botany), 150 copies (KL, No 5, 1959, 146)

DZAGNIDZE, Sh.I., kand. biolog. nauk

Phomopsis infection of apple and pear. Zashch. rast. ot vred. 1 bol. 9 no.7:38 '64. (MIRA 18:2)

1. Gruzinskiy institut zashchity rasteniy.

SEREBRYAMAYA, Mariya Iosifovna; DZAGUROV, D.D., red.; DZGOYEV, A.A., tekhn.red.

[A concise geography of Northern Ossetia; textbook for teachers]
Kratkaia geografiia Severnoi Osetii; posobie dlia uchitelei.
Ozdzhonikidze. Severo-Osetinskoe knizhnoe izd-vo. 1959. 67 p.
(Ossetia--Geography)

DZÁGURÓF, S. G.

Dissertation: "Experimental Chemotherapy and Chemotrophylaxis of the Grione and Severe Catarris of the Upper Respiratory Tructs." Gand Med Sci. Acad Med Sci USSR, 15 Apr 54. (Vechernyaya Moskya, Moscow, 6 Apr 54)

SO: SUM 243, 19 Oct 1954

DZAGUROV, S.G. (Moskva)

Nature of viruses. Felid. i akush. no.8:3-6 Ag 154. (MLHA 7:8)
(VIRUSES
review)

CHUMAKOV, M.P.; HEZHIKOV, A.I.; DZAGUROV, S.G.; IZSHCHINSKAYA, Ye.V.; GLAZUNOV, S.L.; DUBNYAKOVA, A.M.; FOVALISHINA, T.P.

Hemorrhagic fever with nephritic syndrome in the Upper Volga Basin. Vop.virus. 1 no.4:26-30 J1-Ag '56. (MLRA 10:1)

1. Institut po isucheniyu policmielita AMN SSSR, Hoskva.

(EPIDEMIC HEMCREHAGIC FEVER, epidemiology,
in Russia (Rus))

VOROSHILOVA, M.K., kandidat meditsinskikh nauk; DZAGUROV, S.G., kandidat meditsinskikh nauk (Hoskva)

Epidemiology of poliomyelitis. Fel'd. i akush. 21 no.11:3-6 N '56. (POLIOMYELITIS) (MLRA: 9:12)

GERHSNOVICH, V.N., AGOL, V.I., ETINGOF, R.N., DZAGUROV, S.G.

Characteristics of metabolism in kidney tissue cultures of monkeys. [with summary in English]. Biokhimiia 23 no.3:453-460 My-Je 158

1. Laboratoriya biokhimii Instituta po izucheniyu poliomielita AMI SSSR, Moskva.

(KIDNEYS, metabolism, in tissue culture (Rus))

CHUMAKOV, M. P.; GAGARINA, A. V.; LASHKEVICH, V. A.; DZAGUROV, S. G.; RAL'F, N. M.; FLEYER, G. P.; VOROSHILOVA, M. K., ROBINZON, I. A.

Comparative characteristics of living poliomyelitis vaccine prepared at the Institute of the Study of Poliomyelitis, Academy of Medical Sciences USSR and Sabin's vaccine from attenuated strains of the poliomyelitis virus. Vop. virus. 4 no. 5:533-537 S-0 159.

(MIRA 13:2)

1. Institut po izucheniyu poliomiyelita AMN SSSR, Moskva. (POLIOMYELITIS, immunol.)

DZAGUROV, S.G.; SAFONOV, G.A.; IVANOVA, G.A.; SHMELEVA, G.A.

Use of Russian agar for the preparation of poliomyelitis virus plagues (colonies). Vop.virus. 6 no.5:632-634 S-0 '60.

(MIRA 14:7)

1. Institut po izucheniyu poliomyelita AMN SSSR, Moskva. (POLIOMYELITIS) (AGAR)

ETINGOF, R.N.; DZAGUROV, S.G.; VIL'NER, L.M.

Possibility of culturing the policyelitis virus on simple media. Vop. virus. 7 no. 1:115-118 Ja-F '61. (MIRA 14:4)

1. Institut po izucheniyu poliomiyelita AMN SSSR, Moskva.
(POLIOMYELITIS)
(BACTERIOLOGY—CULTURES AND CULTURE: MEDIA)

CHUMAKOV, M.P., prof., otv.red.; VOROSHILOVA, M.K., red.; DZAGUROV, S.G., red.; DROZDOV, S.G., red.; ZEXTLENOK, N.A., red.; LASHKEVICH, V.A., red.; SHAPIRO, S.L., red.;

[Poliomyelitis peroral live vaccine; papers] Poliomielitnaia pororal naia zhivaia vaktsina; materialy. Pod red. M.P. Chumakova. Moskva, 1961. 658 p. (MIRA 15:8)

1. Akademiya meditsinskikh nauk SSSR. Moskva, Institut poliomielita i virusnykh entsefalitov. Nauchnaya sessiya. 4th, Moscow, 1960. 2. Deystvitel'nyy chlen Akademii meditsinskikh nauk SSSR (for Chumakov).

(POLIOMYELITIS VACCINE)

DZAGUROV, S.G.; SHMELEVA, G.A.; VIL'NER, L.M.

Comparative study of the dynamics of the inactivation of a virus in dialyzed and nondialyzed specimens of vaccine against poliomyelitis detoxified with formaldehyde. Vop. virus. 6 no.5:616-617 S-0 '61.

(MIRA 15:1)

1. Institut poliomiyelita i virusnykh entsefalitov AMN SSSR, Moskva.

(POLIOMYELITIS)

CHUMAKOV, M.P.; VOROSHILOVA, M.K.; DROZDOV, S.G.; DZAGUROV, S.G.; LASHKEVICH, V.A.; MIRONOVA, L.L.; RAL'F, N.M.; GAGARINA, A.V.; DOBROVA, I.H.; ASHMARINA, Ye.Ye.; SHIRMAN, G.A.; FLEYER, G.P.; TOL'SKAYA, Ye.A.; SOKOLOVA, I.S.; EL'BERT, L.B. (Moskva); SINYAK, K.M. (L'vov)

Some results of the work in mass immunization of the population of the Soviet Union against poliomyelitis with live vaccine from Sabin strains. Vest. ANN SSSR 16 no.4:30-43 *61. (MIRA 15:5)

1. Iz Instituta poliomyelita i virusnykh entsefalitov AMN SSSR. (POLIOMYELITIS VACCINE) (POLIOMYELITIS--PREVENTION)

CIUMAKOV, M.P.; VOROSILOVA, M.K.; DZAGUROV, S.G.; DROZDOV, S.G.; LASKEVICI, V.A.; MIRONOVA, L.L.

Results of investigations made in the past 4 years on the immunization of several Soviet populations with policyelitis live vaccine (Sabin type) administered orally. Stud. cercet. inframicrobiol. 13 no.5: 589-591 '62.

1. Institutul pentru cercetarea poliomielitei si a encefalitelor virotice al Academiei de stiinte medicale a U.R.S.S.

(POLIOMYELITIS) (POLIOVIRUS VACCINE, ORAL)

L 12591-63

ACCESSION NR: AP3002519

5/0248/63/000/006/0005/0015

AUTHOR: Chumekov, M. P.; Voroshilova, M. K.; Dzegurov, S. G.; Drozdov, S. G.; Lashkevich, V. A.; Mironova, L. L.; Ral'f, N. M.; Sinyak, K. M.; Bertoshevich, Ye. N.; Vasil'yeva, K. A.; Gagarina, A. V.; Grachev, V. P.; Zhevandrov, V. I.; Taranova, G. P.; Koroleva, G. A.; Kukayn, R. A.; Robinzon, I. A.; Tyufanov, A. V.; El'bert, L. G.

TIPLE: Results of live vaccine mass immunization against policyelitis end the outlook for eradicating this disease

SOURCE: ANN SSSR. Vestnik, no. 6, 1963, 5-15.

TOPIC TAGS: Policyelitis, immunization, vaccine, Selk, Sebin

ABSTRACT: This article is a survey of the fight against polio in the Soviet Union with special emphasis on the live vaccine mass immunization program during the past four years. In 1954 polio became a serious problem in the USSR and in 1955 the Poliomyelitis Institute was formed as part of the Academy of Medical Sciences. At first, Salk vaccine was produced (at Moscow and Sverdlovsk) and from 1957 to 1960 more than 12 million children were inoculated. Late in 1958 10 million experimental doses of the Sabin live vaccine were prepared and in

Card 1/3

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000411810019-6

L 12591-63 ACCESSION NR: AP3002519

0

January 1959 the Institute switched to developing live vaccine on a large scale. In 1961, when international needs for a purer live vaccine were developed, the Institute solved the problem of purifying Sabin's culture strains from admixture to latent monkey virus no. 40 (OV sub 40) by using kidney clutures from green marmosets rather than from monkeys. At the end of biocontrol, 1 M solution MgCl sub 2 was added to increase virus thermostability in transit and to avoid microbe or virus contamination. Between 1959 and 1962 the Soviet Union exported over 153 million vaccine doses (mostly in lozenge form) to 20 countries (Table 2). In the USSR 95% of all inoculations from 1960 to 1962 were in lozenge form with oral liquid vaccine given only to babies. The great advantage of live vaccine establishes local immunity at the sites of virus entry into the body. Such immunity prevents transmittal of virus by "symptomless" cases. Studies of children inoculated with live vaccine show a marked increase in the number of antibodies in all age groups and a total absence of "wild" polio virus strains in feces tests of healthy children. From 1959 to 1962 over 217,879,000 doses of live vaccine have been administered in the USSR. Of these, 91,300,000 were first innoculations and 126,579,000 were second innoculations. Fig. 3 shows a sharp decrease (almost to zero) in the incidence of polio in the USSR for 1962. The following immunization plan is recommended: immunization of trivalent (types, I, II, and III) live vaccire for children aged 2 to 12 mos for intervals of 6 to 12 weeks and annual

Card 2/3

L 12591-63 ACCESSION NR: AP3002519

oral revaccination with trivalent live vaccine for children ages 1 to 8-15 years. Revaccination can be given in two doses at intervals of 6 to 12 weeks. The number of annual revaccinations can probably be cut down eventually to 4 or 5 after the basic three vaccinetions (types I, II, and III). The outlook for winning the fight against polio in the USSR is very encouraging. Orig. art. has: 3 figures, 4 tables.

ASSOCIATION: None

SUEMITTED: 00

DATE ACQ: 12Jul63 ENCL: 00

SUB CODE: AD

NO REF SOV: 000

OTHER: 00

Card 3/3


CHUMAKOVA, M.Ya.; CHUMAKOV, M.P.; ZAVODOVA, T.I.; DZAGUROV, S.G.

An Immunological test for demonstrating SV 40 virus. Acta virol (Praha) [Engl] 8 no.1190-91 Ja'64.

1. Institute of Poliomyelitis and Viral Encephalitides, U.S.S.R. Academy of Medical Science, Moscow.

ملا

SOURCE CODE: UR/0402/66/000/001/0096/0099 L 33026-66 EVT(1)/T JK ACC NR: AP6024120 AUTHOR: Gnuni. G. M.; Dzagurov. S. G.; Mamonenko, L. L.; Mironova, A. ORG: Institute of Poliomyelitis and Viral Encophalitides, AMN SSSR, Moscow (Institut poliomielita ivirusnykh entsefalitov NA SSSR) TITIE: Nethod of growing tissue cultures and viruses in revolving vessels SOURCE: Voprosy virusologii, no. 1, 1966, 96-99 TOPIC TAGS: virology, tissue physiology, medical laboratory instrument, histology ABSTRACT: The ordinary method of growing monolayer cultures of trypsinized colls leaves some 60 to 70% of the available area of the vessel unused, thus reducing the possibility of obtaining a large quantity of the cell mass participating in the formation of virus particles. The authors designed an apparatus in which flasks or bottles with a suspension of monkey kidney cells or human diploid cells in a culture medium revolve at the rate of 20 revolutions per hour. They found that the rotation of the vessels had no effect on adherence of the cells to the surface or on their growth. The mean index of proliferation (ratio of number of cells grown to the number inoculated) was about 1, the norm for the given types of tissue. There was a marked increase in the useful area occupied by the monolayer, decrease in consumption of the culture medium, and greater concentration of poliomyelitia virus (human diploid cells). Orig. art. has: 1 figure and 5 tables. [JPR3] SUB CODE: 06 / SUEM DATE: 07Jun65 / ORIG REF: 004 / OTH REF: 005 UDC: 576.858.093.1+578.085.23 Card 1/1 /4/



DZAGUROVA, T.S. (Moskva); ZAKHRROV, M.V. (Moskva); SIROTA, N.N. (Moskva)

Comparison of Young's modulus with other mechanical properties of aluminum alloys at various temperatures. Izv.AN SSSR.Otd.tekh.nauk no.2:120-122 F '57. (MLRA 10:5)

(Aluminum alloys--Metallurgy)

DZAKHOV, S.D.

Lengthening of the leg in correcting of polionyelitis in children. Ortop.travm.i protez. 20 no.8:15-19 Ag '59. (MIRA 12:11)

1. Iz Nauchno-issledovatel'skogo detskogo ortopedicheskogo instituta im. G.I. Turnera (dir. - prof. M.N. Goncharova).

(POLIOMYZLITIS, complications)

(LEG, surgery)

DZAKHOV, S. D., Cand Med Sci -- (diss) "Operative elongation of the shin in children with after-effects of poliomyelitis." Leningrad, 1960. 16 pp; (First Leningrad Medical Inst im Academician I. P. Pavlov); 300 copies; price not given; (KL, 23-60, 127)

C DZAKHOV, S.D.

Method of lengthening the skin. Vest. khir. 85 no. 8:108-113 Ag 160.
(MIRA 14:1)
(TIBIA—SURGERY) (FIBULA—SURGERY)

DZAKHOV, S. D. (Leningrad P-136, Lakhtinskaya ul., d. 10/12

Some features of the treatment of patients following surgery for lengthening the leg. Ortop., travm. i protez. 22 no.8:49-54 Ag '61. (MIRA 14:12)

1. Iz Gosudarstvennego nauchno-issledovateliskogo detskogo ortopedicheskogo instituta im. G. I. Turnera (dir. - prof. M. N. Goncharova)

(LIG -SURGERY)

DZAKHOV, S.D., kand. med. nauk

Comparative evaluation of the methods for equalizing the length of the legs. Khirurgiia 39 no.5:92-98 My '63.

(MIRA 17:1)

1. Iz Nauchno-issledovatel skogo detskogo ortopedicheskogo instituta imeni G.I. Turnera (dir. - prof. M.N. Goncharova).

DZAKHOV, S.D., starshly nauchnyy sotrudnik (Leningrad, M-190, Kubinskaya ul., d. 34, kv.100)

Ostecepiphysiolysis of the distal end of the tibia. Ortop., travm. i protez, 26 no.7:42-48 Jl '65. (MIRA 18:7)

1. Iz Detskogo ortopedicheskogo instituta imeni G.I.Turnera (direktor: prof. M.N.,Goncharova).

DZAKHOYEV, A. M., and YEFENDIYEV, N. M.

Azerbāijan (Kazakh) Horse, Konevodstvo 22, No 7, 1952.

DZAKHOYEV, A. M., Cand Agri Sci -- (diss) "Methods in the Development of a local Breed of Thoroughbred Horse at Azerbajdzhan Horse-Breeding plant."

Farm 75". Kirovabed, 1958. 25 pp (Ministery of Agriculture Azerbaydzhan SSR. Azerb. Agrica. Institute). 100 copies. (KL 34-56, 100)

2/

DZAKHOYEV, A.M., zootekhnik.

Gencerning comrade N.Smirnov's article. Zhivotnovodstvo 20 no.2:
84-86 F '58. (MIRA 11:1)

(Stock and stockbreeding)
(Smirnov, N.)

KALININ, S., master-povar; DZAKHOYEVA, Ye., tekhnolog; TOROPOVA, V., inzh.-tekhnolog

Advice to the cook. Obshchestv. pit. no.7:13-14 J1 159.
(MIRA 12:12)

1. Severo-Osetinskaya kontora Kurorttorga (for Dzakhoyeva). 2. Udmurt-potrebsoyuz (for Toropova). (Cookery)

DZALAYEV, M.I.

Gorbunov, N.A., and Dzalayev, M.I., "Improvement of the Operation of Electro-mechanical Auto-regulators of the TsKTI System," Elektrichis-kiye Stantsii, 1953, Pages 55-56, 2 figures.

GOREUNOV, N.A., inzhener; EZALAYEV, M.I., inzhener.

Level regulator in a turbine condenser. Elek.sta. 25 no.7:55-56
Jl '54.

(Gondensers(Steam))

DZAIAYEV, M.I., inzhener; STOLYAROV, Yu.K., inzhener.

Self-regulation of reduction and cooling installations. Elek.sta. 25 no.12:17-18 D '54. (MLRA 7:12) (Steam turbines)